The complete home office All-In-One.

All-In-One colour inkjet for home offices. The Canon MAXIFY MB2750 Series provides mobile printing and cloud integration, while its 500-sheet paper capacity and fast 24 ipm mono print speed maximise productivity.























- Outstanding All-In-One colour printer, scanner, copier and fax
- Fast 24 ipm mono and 15.5 ipm colour, first page out in just 6 seconds
- 1,200-page mono and 900-page colour ink yields
- Wi-Fi and Ethernet connectivity, plus print from and scan to mobile devices
- Support for iOS and Android devices, plus cloud printing and scanning
- Large 500-sheet paper cassette and 50-sheet ADF
- Tough marker- and friction-resistant DRHD inks
- Large 7.5 cm (3") TFT colour touchscreen
- Simple to integrate with existing networks (SNMP)
- 200-1,000 pages per month recommended print volume
- IP address filtering and records of use reporting
- SMTP mail for secure sending of scanned documents



Product Range



MAXIFY iB4140



MAXIFY MB2740



MAXIFY MB2140

MAXIFY MB5440 MAXIFY MB5140 MAXIFY iB4140

MAXIFY MB2740 MAXIFY MB2140



Technical Specifications

OVERVIEW

Summary

PRINTER SPECIFICATIONS

Print Speed (approx.)

First Page Out Time (approx.)

Print Technology

Maximum Print Resolution Print Margins (min.)

2-Sided Printing

SCANNER SPECIFICATIONS

Scanner Type

Scanner Technology Scanner Resolution (Optical) Scan Speed (ADF) Approx.

Maximum Document Size

Scanning Depth (Input / Output)

Scan Functions

COPIER SPECIFICATIONS

Copy Speed (approx.)

Multiple Copy Reduction / Enlargement Copy quality settings

Copy functions

FAX SPECIFICATIONS

Fax Type Fax Resolution

Fax Speed

Fax Memory Coded Speed Dialling

Group Dial

INKS & YIELD

Ink Type

XL Inks

PAPER SUPPORT Paper Types

Maximum Paper Input

Paper Sizes

Paper Weight

CONNECTIVITY Wired Connections

Wireless Connections

Applications Support

Fast, productive All-In-One for home offices Print, Copy, Scan, Fax, Wi-Fi, Ethernet + Cloud Link

24.0 ipm mono A4^[1] 15.5 ipm colour A4^[1]

Mono: 6 sec (ready) / 10 sec (sleep) Colour: 7 sec (ready) / 12 sec (sleep)

Inkjet, FINE print head 600 x 1200 dpi

Top: 3 mm, Bottom: 5 mm, Left & Right: 3.4 mm

Automatic (A4, LTR plain paper)

Flatbed, ADF

CIS colour scanner Up to 1200 x 1200 dpi^{[2} Simplex. 15.5 ipm Col Simplex. 18.5 ipm B/W^[3]

Flatbed: A4, LTR (216 mm x 297 mm) ADF: A4, LTR, LGL

Colour: 48 bit / 24 bit Greyscale: 16 bit / 8 bit

Scan to email, Scan to network folder, Scan to Cloud, Scan to USB

ADF colour: 11.5 ipm^[4] ADF mono: 22.0 ipm^[4] Up to 99 pages

25 - 400%, Fit to Page Standard, High

Frame Erase, Collate, 2-on-1, 4-on-1

Super G3 / Colour Mono: up to 300 x 300 dpi Colour: 200 x 200 dpi

Mono: approx. 3 sec. (33.6 kbps)^[5] Colour: approx. 1 min. (33.6 kbps)^[5]

Up to 250 pages Max. 100 locations Max. 99 locations

Dual Resistant High Density ink 4 ink tanks (Black, Cyan, Magenta, Yellow) PGI-1400XL BK (1200 pages)[6]

PGI-1400XL C (1020 pages)^{[6} PGI-1400XL M (780 pages)^[6] PGI-1400XL Y (935 pages)^[6]

Colour ink tanks (CMY) average yield: 900 pages^[6]

Plain Paper Envelopes (DL, COM10, C5, Monarch) Canon High Resolution Paper (HR-101N) Canon Matte (MP-101) Canon Pro Luster (LU-101)

Canon Plus Semi-gloss (SG-201) Canon Plus Glossy II (PP-201) Canon Glossy Everyday Use (GP-501)

Upper cassette: 250 sheets of plain paper Lower cassette: 250 sheets of plain paper

Plain paper: A4, A5, B5, LTR, LGL Photo paper: A4, LTR, 20 x 25 cm, 13 x 18 cm, 10 x 15 cm Custom sizes: Width 89-215.9 mm, Length 127-355.6 mm

Plain paper: 64 - 105 g/m² Canon photo paper up to 275 g/m²

Hi-Speed USB 2.0

Ethernet 10/100 Mbps (auto switchable) USB flash memory port (A type)

Wi-Fi IEEE802.11 b/g/n[7]

Wireless LAN Frequency Band: 2.4GHz Access Point Mode

Canon PRINT Inkjet/SELPHY app MAXIFY Cloud Link (from printer screen or smart device) Canon Print Service plug-in (Android)

Mopria Microsoft Mobile Print Apple AirPrint Google Cloud Print

Supported Operating System

Supported Mobile Systems

Software Included

GENERAL FEATURES

Display Type & Size Automatic Document Feeder Dimensions (W x D x H)

Weight Power Source

Power Consumption

Typical Electricity

Noise Levels

Recommended Operating Environment Duty Cycle (monthly)

Recommended Print Volume

Windows 10 / 8.1 / 8 / 7 / 7 SP1 / Vista SP2 Windows Server 2008 / 2008 R2 / 2012 / 2012 R2 Mac OS X v10.8.5 or later

iOS, Android, Windows RT, Windows 10 Mobile

Windows: Internet Explorer 8, internet connection or CD-ROM Mac: Safari 5 and internet connection Display: 1024x768 or higher

Printer driver and fax driver Quick Utility Toolbox IJ Network Device Setup Utility Easy-WebPrint EX

7.5 cm colour touch screen

Up to 50-sheets

463 x 389 x 320 mm 463 x 459 x 320 mm (paper installed)

12.1 kg

AC 100 - 240V. 50/60Hz

Standby (scanning lamp is off)
USB connection to PC: approx. 0.9 W
OFF: approx. 0.2 W
Copying (USB connection to PC): approx. 26 W^[8]

0.2 kWh^[9]

Approx. 56 dB(A)[10]

Temperature: 15 - 30°C Humidity: 10 - 80% RH (no dew condensation)

up to 15,000 pages[11] 250 - 1000 pages / month

Footnotes

 $^{\tiny (I)}$ Document print speed on plain paper is measured based on average of ESAT in Office Category Test of ISO/IEC 24734 standard.

(21) Optical resolution is a measure of maximum hardware sampling resolution based on ISO 14473 standard. When scanning in high resolution, the scan size is restricted.

(3) ADF scan speeds are the average of scESAT30secA in "ADF Productivity Measurement" test, ISO/IEC 17991:2015.

New Jew 1291:2015. When scanning or copying a certain volume of documents (approx. 150 sheets in default settings) continuously from the ADF, the printer may switch to "waiting mode" in which paper feeding stops for several tens of seconds after each scan to prohibit overheating the ADF.

(4) ADF copy speed is the average of ESAT simplex, ISO/IEC 24735, excluding time to copy the first set. When scanning or copying a certain volume of pages continuously using the ADF, the printer may need to do a pause (usually less than 1 minute) after each scan. This is to prevent the paper feeding mechanism overheating. When scanning or copying in default settings (colour, 7300dp), the page feeding starts to pause after approx. 80 sheets of paper when feed continuously or repeatedly in a short period of time. The pause time may vary depending on scan settings including colour or moon and scan resolution.

[5] Based on default setting using ITU-T No.1 chart for mono and Canon Colour Fax Test Sheet for colour.

[6] Page yield is based on ISO/IEC 24711 and continuous printing. Printer ships with setup ink tanks: 400 pages black (BK) and 300 pages colour (C/M/Y average).

^[7] Wi-Fi frequency band: 2.4GHz, Wi-Fi Security: WPA-PSK, WPA2-PSK, WEP, Administration password

[8] Copy: When copying ISO/JIS-SCID N2 (printed by inkjet printer) on A4 size plain paper using default settings.] Specifications are subject to change without notice.

[9] Typical Energy Consumption (TEC) represents the typical electricity consumed by a product during one week.

[10] Acoustic Noise is measured based on ISO7779 standard.

 $^{\mbox{\tiny [III]}}\mbox{Duty cycle}$ is defined as a maximum number of printed pages for a single peak month.

All specifications subject to change without notice.

Print speed may vary depending on system configuration, interface, software, document complexity, print mode, page coverage, type of paper used etc.

Copy speed may vary depending on document complexity, copy mode, page coverage; type of paper used etc. and does not take into account warming up time.

Actual fax transmission speed may vary depending on document complexity, fax settings at receiving end, and line conditions etc.

All brand and product names are trademarks of their respective companies.

Ink yield may vary depending on documents printed, applications software used, print mode and type of paper used. For more information see www.canon-europe.com/ink/yield

Canon Inc. canon.com Canon Europe canon-europe.com **English** edition © Canon Europa N.V.,2016



•

The complete home office All-In-One.

All-In-One colour inkjet for home offices. The Canon MAXIFY MB2750 Series provides mobile printing and cloud integration, while its 500-sheet paper capacity and fast 24 ipm mono print speed maximise productivity.

MAXIFY MB2740



Product Details:

Product Name	Mercury Code	EAN Code	Recommended Retail Price		
MAXIFY MB2740 MEA	0958C007AA	4549292051070	<please fill="" in="" rrp=""></please>		

Ink Consumables:

Mercury Code	EAN Code	Recommended Retail Price		
9185B001AA	4549292003802	<please fill="" in="" rrp=""></please>		
9202B001AA	4549292003994	<please fill="" in="" rrp=""></please>		
9203B001AA	4549292004007	<please fill="" in="" rrp=""></please>		
9204B001AA	4549292004014	<please fill="" in="" rrp=""></please>		
9185B004AA	8714574623221	<please fill="" in="" rrp=""></please>		
	9185B001AA 9202B001AA 9203B001AA 9204B001AA	9185B001AA 4549292003802 9202B001AA 4549292003994 9203B001AA 4549292004007 9204B001AA 4549292004014		



The complete home office All-In-One.

All-In-One colour inkjet for home offices. The Canon MAXIFY MB2740 provides mobile printing and cloud integration, while its 500-sheet paper capacity and fast 24ipm mono print speed maximise productivity.

Sales Start Date: July 2016

MAXIFY MB2740



Measurement / Logistic Information:

Product Name	Mercury code	Pack type	Pack description	Quantity per pack	Length (mm)	Width (mm)	Height (mm)	Net Weight (kg)	Gross Weight(Kg)
MAXIFY MB2740 MEA	0958C007AA	EA	Each	1	555	472	478.3	12.3	16.2
		СТ	Carton	8	1116	950	960.6	129.6	130.6
		EP	Euro Pallet	8	1116	950	960.6	129.6	130.6

What's in the box?

- MAXIFY MB2740
- · Power cable
- Set up CD for Windows (Mac drivers available online)
- Manuals
- Fax / phone line cable

