# PT-E110VP



brother

ouch E110

(MCT)

## **Industrial Labeller**

A purpose built labeller to add to your toolbox. Create long lasting, durable and easy to peel labels for components in electrical environments.

- Cable, Faceplate and Sequential Numbering shortcuts for quick function access
- 200 symbols including electrical, security, audio/visual and safety symbols
- Includes tape cassette, AC adapter, carry case and electricians guide
- Heavy duty labels resistant to fade, abrasion and extreme temperatures





The PT-E110VP and its durable tape supplies help ensure clear identification for cabling, panels and installations.

brot

ESC

B

AA 1999 (mg) fail (mg)

QW





AIC C1-3B

6

BNM.

C


53

2



## PT-E110VP

Create long lasting labels in various colour combinations and widths with this industrial labeller. With dedicated functions to make common labelling tasks quick and easy, and with everything supplied in a hard carry case, the PT-E110VP is an invaluable tool for electricians and other professional trades.



### Brother TZE laminated labels – designed to last

Brother P-touch laminated TZe tapes consist of six layers of materials, resulting in a thin, extremely strong label. The characters are then formed within a thermal transfer ink and sandwiched between two protective layers of PET (polyester film). The result is a virtually indestructible label that can withstand even the harshest conditions. As the labels have been tested to the extreme, you can be confident of a professional quality label that has been designed to last. For more information on Brother's durable TZe tapes, visit <a href="https://www.brother.com.au/pdf/consumables/TZe\_Tapes\_Technical\_Data.pdf">https://www.brother.com.au/pdf/consumables/TZe\_Tapes\_Technical\_Data.pdf</a>















d Temperature Resistant Water Fade Resistant Resistant

tant R

Abrasion Resistant

Chemical Resistant

### **PT-E110VP Features / Specifications**

#### Hardware

Housing dimensions (mm)	111(w) x 58(d) x 204(h)
Housing weight	400g
Tape size	TZe tape: 3.5, 6, 9, 12mm
Print resolution	180 dpi for crisp, legible text
Max. label length	300mm
Max. print height	9mm for easy-to-read labels
Max. print speed	20mm / sec
Cutter type	Built-in manual label cutter
Keyboard type	PC layout QWERTY keyboard
	with dedicated numeric keypad
Number of keys	60
LCD display	16 character graphic LCD with real
	preview feature
LCD size	58 mm x 23 mm
Print preview	Yes
Text buffer	Max 80 chrs
Label memory	720 chrs (9 files x 80 chrs)
Power	Requires 6 x AAA batteries (LR03 alkaline
or HR03	rechargeable Ni-MH) (not supplied)
	AC adapter (included)

### **Items Included**

Items included	PT-E110 labelling machine AC Adapter (AD-5000ES) 9mm black on white Flexible-ID tape cassette (8m) Carry Case User guide
TZe Tape cassettes	3.5, 6, 9, 12mm

### **Built-in software**

audicCharacter sizes3 sizCharacter widths3 widFont styles10Frames1UnderlineYesMax. number of lines2Horizontal alignmentAutoPre-set format(auto format)Tape length settingYesTab functionYesLabelling functionsGeneCopy (repeat) printingYes (Print previewYes (Auto power offYes (Unit changeYes (Language change21 lanSpanDutchHungYes (	htths (extended, medium, condensed) matic length labels: left aligned set length labels: centre aligned
---	---

### **Optional Accessories**

TC4 tape cutter



Contact:	







facebook.com/brotheraustralia www.brother.com.au