

The Smartest Network Device

www.totolink.net



8-Port 10/100Mbps Desktop Switch

Model No. **\$808**



10/100Mbps

Flow Control IEEE 802.3X



Desktop Design



Plug & Play



8-Port 10/100Mbps Desktop Switch

Model No. S808

S808 is a Fast Ethernet Switch that designed for general home or small office use. It provides 8 10/100Mbps ports and all ports support auto MDI/MDIX, no need to worry about the cable type, simply plug and play. Moreover, the mini desktop design is easy carrying for portable use. So it is an ideal solution for small groups.





- 8 10/100Mbps auto-negotiated RJ45 ports.
- Supports IEEE 802.3x flow control for Full Duplex mode and backpressure for Half Duplex mode.
- Mini plastic design supports desktop placement or wall mount.
- 1K entry MAC address table and automatic address learning.
- Auto-MDI/MDIX eliminates the need for crossover cables.
- Store- and-Forward switching scheme.
- Performs non-blocking full wired speed.






Selling point

Fast Ethernet Speed

Complies with IEEE 802.3, IEEE 802.3u, IEEE 802.3x standards, S808 provides 8 10/100Mbps ports with support of Auto-MDI/MDIX greatly expands network capacity and simplifies cable deployment.





No configuration required, simply plug and play for easy use. You're allowed to add up to seven devices using Ethernet cable to expand your wired home network.



Specification

General

Standards	- IEEE 802.3, IEEE 802.3u, IEEE 802.3x
Interface	- 8*10/100Mbps auto-negotiation RJ-45 Ports (Auto MDI/MDIX)
Power Supply	- 5V DC/0.6A
Dimensions(L x W x H)	- 4.9 x 2.4 x 1.1in. (125 x 62 x 27mm)
LED	-1* Power, 8*LANs
MAC Address Learning	- Auto-learning, auto-aging
MAC Address Table	- 1K
Network Media	- 10BASE-T: UTP Cat 3 or above cable - 100BASE-TX: UTP Cat 5, 5e or above cable
Backup Bandwidth	- 1.6Gbps
Transmission Method	- Store-and-Forward
	PC / Laptop

Specification

Others

Package Contents	- S808 Desktop Switch *1 - Power Adapter - Ethernet Cable *1 - Quick Installation Guide *1
Environment	- Operating Temperature: 0 C ~40 C (32 F ~104 F) - Storage Temperature: -40 C ~70 C (-40 F ~158 F) - Operating Humidity: 10%~90% non-condensing - Storage Humidity: 5%~90% non-condensing

ZIONCOM (HK) TECHNOLOGY LIMITED

Copyright 2018 ZIONCOM (HK) TECHNOLOGY CO., LTD. All Rights Reserved.

Headquarter & R&D Center

7/F, Unit D, 4 Building Shenzhen Software Industry Base, Xuefu Road, Nanshan District, Shenzhen, Guangdong, China

Tel : +86-755-6136-3288 (Ext. 851) I FAX : +86-755-6136-3344

Factory

Building A1 & A2 Lantian Technology Park, Xinyu Road, Xinqiao Henggang Block, Shajing Street, Baoan District, Shenzhen, Guangdong, China

Direct Line : +86-755-6136-3395 I FAX : +86-755-6136-3322

S808

8-Port 10/100Mbps Desktop Switch