HP 22er 21.5-inch Display



Impossibly thin. Irresistibly priced.

Our thinnest LCD display yet. has a sleek design that's easy on the eyes. And the crisp, vibrant view from almost any angle comes at an ultra-affordable price.



Our thinnest LCD display yet

• Pushing the limits of thin in an eye-catching design. With our innovative use of high-strength, lightweight metal, we've created our thinnest LCD display yet.¹

Stunning from edge-to-edge

• With ultra-wide viewing angles and vivid 1920 x 1080² resolution, this edge-to-edge display delivers an expansive entertainment experience for seamless multiple display setups.

True-to-life color

• When the colors on your display are indistinguishable from real life, the result is a beautifully vivid picture. With Technicolor Color Certification, color accuracy is assured every time.

² Full high-definition (FHD) content required to view FHD images

³ Results may vary based on the viewing quality of the original image (picture, photo or video) and the difference between the monitor's previous settings compared to the new HP Enhance+ mode.

⁴ Colors may vary by region.

5 EPEAT Silver registered models of this product are available where HP registers consumer [desktop/notebooks/tablets/monitors/All-in-Ones*] computers. Available in the U.S. only.

HP 22er Display

Featuring

Bezel-less display

With no bezel encircling the display, an ultra-wide viewing experience provides for seamless multi-monitor set-ups.

Share the panoramic view

Vibrant detail from practically any position with consistent color and image clarity maintained across an ultra-wide 178° horizontal and vertical viewing angles.

Full HD display / 1080p display

Be prepared for brilliant visuals and crisp images with the unforgettable quality of this stunning FHD display.

Enhanced visuals

HP Enhance+ resolution improves image quality with advanced noise reduction for crisper, cleaner images. By reducing overexposure, this advanced noise filter amplifies your images for crisper photos, videos and games.³

User control OSD settings

HP My Display Smart software also lets you partition your screen so that multiple application windows can be open at the same time, and even saves user-preferred settings for any easy startup.

Reduce the reflection

The reflectiveness typical with glossy screen surfaces is appreciably reduced with the Low Haze screen enhancement, without losing clarity and contrast of screen imagery.

Choose your color

Personalize your PC with your choice of color, for style that matches you.4

Easy port access

Quickly connect to your screen with simple and easy access to all your ports for a more convenient experience.

Compact, sleek design

Get everything you need in one elegant package. Just one connection to the wall eliminates cable clutter. Slim design gives you more room for an enhanced computing experience.

Energy efficiency your way

Do the environment—and your wallet—a favor when you use the HP 22er 54.61 cm (21.5") Display. It meets strict energy-efficiency guidelines and helps reduce your carbon footprint.⁵

¹ 6.3 mm at its thinnest point.

² Full high-definition (FHD) content required to view FHD images.

³ Results may vary based on the viewing quality of the original image (picture, photo or video) and the difference between the monitor's previous settings compared to the new HP Enhance+ mode.

⁴ Colors may vary by region.

⁵ EPEAT Silver registered models of this product are available where HP registers consumer [desktop/notebooks/tablets/monitors/All-in-Ones*] computers. Available in the U.S. only.

HP 22er 21.5-inch Display







Display Size	54.61 cm (21.5")
Aspect Ratio	16:9
Display type	IPS w/ LED backlight
ixel pitch	0.247 mm
esponse time	7 ms gray to gray
rightness	250 cd/m²
ontrast ratio	1000:1 static; 10M:1 dynamic
iewing angle	178° horizontal; 178° vertical
ideo input signal	1 VGA; 1 HDMI (with HDCP support)
esolution	1920 x 1080 @ 60 Hz
splay Scan Frequency (horizontal)	Up to 80 kHz
isplay Scan Frequency (vertical)	Up to 60 Hz
splay features	Anti-glare; In plane switching; Language selection; LED Backlights; On-screen controls; Plug and Play; User programmable
nysical security features	Security lock-ready (lock is sold separately)
splay moving angle	Tilt: -5 to +25°
vironmental Specifications	Mercury-free LED backlighting; Arsenic-Free Display Glass
ower Supply and Power Requirements	Input voltage: 100-240 VAC at 50 - 60 Hz; Power consumption: 21W maximum, 20W typical; Standby mode: < 0.3W
nergy Efficiency	Energy Efficiency class: AOn-mode power consumption: 18 W; Annual energy consumption: 26 kWh; Standby: 0,2 W; Power consumption (off-mode): 0,17 W
splay User Control Options	Menu/ok; Information/"-"; Input/"+"; Auto/QV/Exit; Power; Brightness; Contrast; Color Control; Image Control; Management; Language
mensions (W x D x H)	49.78 x 18.35 x 38.45 cm (with stand); 49.78 x 3.52 x 30.16 cm (without stand)
eight	2.44 kg (with stand); 2.07 kg (without stand)
perating Temperature Range	5°-35°C
perating Humidity Range	20 to 80 %
orage Temperature Range	-20° - 60°C
on-operating Humidity Range	5% ~95 %
ertifications and compliances	CB; CE; TUV-BAUART; IS09241; CSA; CSA-NRTL; FCC; ICES; S-Mark; VCCI; CCC; China CEL; BSMI; KCC; KC; E-standby; EUP Lot 6 and Lot 5; GEMS; MEPS; UKRAINIA; HRN N N0.201; EAC; IEC60950:1999; IS 1121; SASO; SABS IEC 60950-1; NOM; PSB; ISC; C-Tick
roduct colour	Natural silver (front and stand) and Blizzard White (rear)
arranty	2 years limited warranty
untry of Origin	China
ox Content	A/C power cable 1.9 m; Power adapter 1.0 m; HDMI cable 1.8 m; CD (include U.G., warranty, drivers), no CD for NA region; QSP(Quick Setup Poster); Hard copy warranty booklet (country specific)
ESA Mount	NO NO
ordering info	T3M72AA#A2N: 190781003786; T3M72AA#ABB: 190781003700; T3M72AA#ABT: 190781003748; T3M72AA#ABU: 190781003717; T3M72AA#ABV: 190781003767
-	



